

Product data sheet



Order No. 35034-005-35100

Recommended retail price € 4.805,50 - carriage paid²

Safe and approved storage of flammable hazardous substances in working areas

Safety storage cabinet V-MOVE-90 Model V90.196.045.VDAC:0012
laboratory white (sim. RAL 9016)

Interior equipment with


- 4 x shelf (sheet steel powder-coated)
- 1 x perforated insert (sheet steel powder-coated)
- 1 x bottom collecting sump (sheet steel powder-coated)

Certification

- Fire resistance 90 minutes
- Type tested in accordance with EN 14470-1
- DIN EN 16121/16122 conformity
- GS certified
- CE compliant

Function / construction

- **Robust construction and longevity:** robust, high-quality, scratch-resistant outer body with powder-coated surface
- **Electronic opening and closing:** the vertical drawer opens and closes at the push of a button
- **Perfect access:** the vertical drawer provides an overview and simple access to the stored containers
- **Always closed:** serial automatic door closing (TSA) after approx. 60 seconds with acoustic and visual signal before drawer closing
- **No unauthorised use:** vertical drawer lockable with cylinder locking (integration in an existing locking system possible) and locking state indicator (red/green)
- **Easy alignment:** adjusting aids to compensate for uneven floor
- **Ventilation:** integrated air ducts ready for connection (DN 75) to a technical exhaust system



Suitable for storing the following hazardous substances:



Product data sheet

Technical Data

[To the product finder](#)[To the flip catalogue](#)[To asecos.com](#)

Product data sheet

